

REFERENCE: 65

ECHD. Fax from John Hulewicz regarding inspection information for Cameo Industries

August 14, 2008. 47 pages

**Environmental Health
Services Division,
Elkhart County Health
Department**

Fax

● **Comments:**

0001A

Cameo Industries
ELKHART COUNTY
COMPLAINT FORM

Specialty Products
Transit

53212 ADA DR

Date: 8-31-81 Department: HEALTH Taken By: T.R.W.

Location of Property: N.S.E.W. side/cor. of _____ mi./ft. N.S.E.W. of _____

Twp: OHIO

Complaint: CHEMICAL STORAGE WAREHOUSE - NEWSPAPER ADVERTISEMENT
INDICATED THE WOULD PICK-UP CHEMICAL WASTE FROM INDUSTRY

Property Owner: CAMEO INDUSTRIES - DUSEL Telephone Number: _____

Address: 53212 ADA DR, ELKHART

Referral - Department: I.S.B.H. / NOTIFIED W/ INFO FROM CHEMICAL SOLVENTS Date: 8-31-81 9-11-81 COPY OF B.Z.
PLAN COMMISSION - HANSEN - APPROPRIATE PERMITS REFERRED SOL-TO 1/3

Conditions Found: PART OF BLDG. LEASED TO SPECIALTY PRODUCTS, OWNED
BY CHEMICAL SOLVENTS, INC., 3751 JENNING RD., CLEVELAND, OHIO 44109

Recommended Action: _____

Reinvestigation: _____ Closed: _____

By: _____ Return Call Requested: Yes ☒ No ☐

Complainant: ROSS MIKEE F&M MANAGEMENT

Address: _____

Telephone Number: _____

ELKHART COUNTY HEALTH DEPARTMENT

Investigation Report

NATURE OF INVESTIGATION: TELE CONF. ED PAULISH - PERG.
CHEMICAL SOLVENTS, CLEVELAND, OHIO
1-800-321-0506

ADDRESS: _____

DATE: 8-31-01

FINDINGS: MR. PAULISH STATED THAT THEY STORED CHLORINATED
SOLVENTS FOR ELECTRONICS INDUSTRY. ALL MATERIALS WERE
FINISHED PRODUCT - NO STORAGE OR TRANSPORTATION OF
HAZARDOUS WASTE MATERIAL AT THIS SITE. THEY
HAVE APPROVAL FOR THAT TYPE OF OPERATION IN OHIO
BUT NOT INDIANA.

VIOLATION: _____

Environmentalist

Elkhart County Board of Zoning Appeals

SEP 14 1981

114 North Main St.
Goshen, Indiana 48528

September 11, 1981

Telephone 533-0406

Mr. Tom Wilson
Elkhart County Health Department
County Courts Building-315 S. Second Street
Elkhart, Indiana 46514

RE: Chemical Storage

Dear Tom:

Mr. Gerald Schmuhl, Zoning Inspector and myself inspected the building at 53212 Ada Drive in Osolo Township on September 9, 1981. This building is owned and partially occupied by Cameo Industries, Inc.

The North half of this building is occupied by Chemical Solvents, Inc., a Cleveland based company. This company distributes degreaser solvents. Two names that we noticed on the labels of 55 gallon drums were Polymeric Isocyanate and Metholine Chloride.

Chemical Solvents, Inc. sells and distributes these solvents. They also collect these solvents after use and store in 55 gallon drums at this location. These drums have "Hazardous Material" labels on them. When a large number of these drums are collected, they are transported to Cleveland, Ohio for recycling. They also have located in their warehouse, a 4000 gallon elevated storage tank containing degreasing solvent.


This company does have necessary permits, however, the warehouse operator told us these permits are in the Cleveland office.

There are no walls or separations in the building, excluding the office area, which is located in the Southwest corner of the building.

Several drums are located outside, West of the warehouse and the housekeeping in this building is excellent.

Feel free to contact this office if you have questions concerning the above.

Sincerely,



Robert E. Moriarty
Zoning Administrator

REM/jy
cc: Steve Seifert

3
0004

ELKHART COUNTY HEALTH DEPARTMENT

Investigation Report

NATURE OF INVESTIGATION: Possible ground water contamination - storage of hazardous waste at PS Unlimited

ADDRESS: 53212 Ada Dr., Elkhart

DATE: March 2, 1983

FINDINGS: Did not detect odor in water, no evidence of discoloration and/or turbidity. However, the water turns black when alcohol is added.

Approximately fifty to sixty 55 gallon drums are stored on the north side of the property. One barrel contained a ~~an~~ unknown material. There was no evidence of past spills on ground around the storage area.

The storage area is approximately 60 feet from the well.
3/22/83 One barrel approx. 3/4 full (see consultation note)

VIOLATION: _____

4/4/83 Dave Koepper took water sample for organic analysis.

Jeff Blankensberger
Environmentalist

36

THEY

STORAGE

30 - 55 GAL. DRUMS

MATERIAL

50 HOLES ERODED

SOUTH BEND

DOUG ROSS

CALGON CORP.

875-2523

WAREHOUSE

CAMEO-

PERCHLOROETHYLENE

WATER SAMPLES

34

20 Dichloromethane
6 Solvent # (SP21) NA1993
11 1-1-1 Trichloroethane **
methylene chloride
propyl acetate
perchloroethane

ELKHART COUNTY HEALTH DEPARTMENT

Consultation Notes

Telephone ✓ Office _____ Site _____
Name: Dave Koepper Re: Specialty Products (water sample)

~~REMOVED~~
Sample results were negative. Results were
mailed to Wally Wense. Copy will be mailed
to use for our records.

JLB
Environmentalist

40

Date: 3/24/83

ELKHART COUNTY HEALTH DEPARTMENT

Consultation Notes

(633-0398)

Telephone ✓

Office _____

Site _____

Name: Dave KapperRe: Specialty Products

He will make investigation on March
30, 1983. Also, he will contact Tim Mathe
concerning his investigation at site
3/28/83. D. Koeppen called back, postponed
investigation until 4/4/83 1:00 PM

8-29-83 - CALLED WEISS (WD) - TALKED TO WENDY WEISS WITH INFO.
THAT TEST RESULTS WERE NOT AVAILABLE.

TW.

JLB

Environmentalist

39

Date: 3/22/83

ELKHART COUNTY HEALTH DEPARTMENT

Consultation Notes

Telephone _____ Office _____ Site ☒
Name: Jim Matter Re: PS Unlimited

Mr. Matter made investigation at site
on 3/21/83. He will contact Alan Ludwig
and Speciality Products to get barrels removed
from property. He did not see full barrel
of chemical, ask me to reinvestigate

JH
Environmentalist

38

Date: 3/8/83

ELKHART COUNTY HEALTH DEPARTMENT

Consultation Notes

Telephone ✓

Office

Site

Name: Dave Koepper ISBH Re: Possible water testing at
PS Unlimited, 53212 Ada Dr

Explained past and present situation
to Mr. Koepper. He will advise if testing
to be conducted.

Relayed information to Ben Potts,
P.S. Unlimited

3/17/83 Spoke with Mr. Koepper
again, he will be in area within
the next two weeks. Will ~~not~~ take samples
at time of inspection.

JLB
Environmentalist

37

Tom Wilson

**Elkhart County
Board of
Zoning Appeals**

114 North Main St.
Goshen, Indiana 46526

Telephone 533-0406

FEB 16 1982

February 11, 1982

Robert Hepler
Attorney at Law
118 North Main Street
Goshen, Indiana 46526

Dear Bob:

On February 10, 1982 the Zoning Inspector and myself inspected the building at 53212 Ada Drive in Osolo Township that is leased by Cameo Industries and sub-leased ($\frac{1}{2}$ of the building) to Specialty Products.

In a conversation with the owner of Cameo Industries, we were told that Specialty Products lease will terminate March 1, 1982, and that they will vacate the building on that date. At present, about 100 fifty-five gallon drums and an overhead storage tank remain in the building.

Mr. Al Ludwig is the owner of the building.

Sincerely,

Robert E. Moriarty

Robert E. Moriarty
Zoning Administrator

REM/jy

cc: Steve Seifert

STATE OF INDIANA

ENVIRONMENTAL MANAGEMENT BOARD



INDIANAPOLIS, 46206

1330 West Michigan Street
P. O. Box 1964

Elkhart
Attn: Mr. T. Wile

JAN 18 1982

VIA CERTIFIED MAIL

JAN 21 1982

Mr. Richard Shandross
U.S. EPA, Region V
230 South Dearborn Street
Chicago, IL 60604

Dear Mr. Shandross:

Re: Specialty Products, Division of
Chemical Solvents, Inc.
Elkhart, Indiana

On October 19, 1981, Ms. Pat Allen and Mrs. R. Mahoney of this office inspected the above-referenced facility located at 53212 Ada Road, Oslo Township, Elkhart. The inspection was prompted by a complaint referred to this office by the Industrial Hygiene Division of the Indiana State Board of Health.

The inspectors found approximately 130 55-gallon drums of hazardous waste stored at the facility. Enclosed please find copies of some of the manifests which were on-site. These manifests indicate that the waste had been received between September 1 and October 9, 1981.

The following violations were noted:

1. Specialty Products Division of Chemical Solvents, Inc., is operating a storage facility in Elkhart without an EPA identification number.
2. Some of the containers at this facility are in poor condition.
3. As transporter, the Company (Chemical Solvents, Cleveland, Ohio) did not deliver the hazardous waste to the designated facility as indicated by manifests on-site. Instead, the waste(s) were transported to this unpermitted facility in Elkhart.

-2-

Additional violations may be cited against the generators, i.e., failure to designate a permitted facility (Manifest No. 00016) or failure to submit exception reports if the completed manifests were not returned to the generators.

Also enclosed are copies of the referral memo from the Division of Industrial Hygiene, EPA Form 3510-1 (received after the inspection) and the inspection memo. Three Class I violations (listed in paragraph 3) were found during the inspection. It is the opinion of this office that enforcement action should be taken, and therefore, a draft compliance order is also enclosed.

If you have any questions, please contact Ms. Pat Allen at 317/633-0205.

Very truly yours,

Ralph C. Pickard
Technical Secretary

PKAllen/tr

Enclosures

cc: Elkhart County Health Department ✓

Attn.: Mr. T. Wilson

Elkhart County Board of Zoning

Attn.: Mr. R. Moriarty

Mr. Arnold Leder, U.S. EPA

Ohio EPA

Mr. Robert McGlasson, Division of Industrial Hygiene and
Radiological Health

STATE BOARD OF HEALTH

INDIANAPOLIS

OFFICE MEMORANDUM

DATE: JAN 1 8 1982

TO: Specialty Products, Division of Chemical Solvents, Inc., Elkhart File THRU:

FROM: Pat Allen *PA*

SUBJECT: Inspection of Specialty Products Elkhart

On October 19, 1981, Pat Allen and R. Mahoney inspected a warehouse partially occupied by Cameo Industries at 53212 Ada Drive, Oslo Township, Elkhart. The inspector spoke with Ms. Shelba Deuel, Cameo Industries and the warehouse man for Specialty Products. The inspection was prompted by complaints from Ms. Deuel to the Industrial Hygiene Division, Indiana State Board of Health. Ms. Deuel was concerned with possible exposure of her employees to fumes emitted from the drums.

The northern half of the warehouse is occupied by Specialty Products, Division of Chemical Solvents, Inc. In the building is located a 4,000-gallon elevated storage tank containing 1,1,1-trichloroethane which is repackaged in 55-gallon drums and sold. They also store spent solvents. There were approximately 130 55-gallon drums of hazardous waste on-site. Many (8-12) of the drums were in poor condition.

Upon reviewing manifests at the facility it was found that the hazardous wastes were not transported to the designated facility and that this facility does not have an EPA identification number.

Attached please find copies of the referral memo from the Division of Industrial Hygiene, EPA Form 3510-1 received after the inspection, and copies of the manifests in question.

A referral letter and draft compliance order will be sent to Richard Shandross, U.S. EPA.

REPORT OF INDUSTRIAL HYGIENE CONSULTATION
REQUESTED BY DIVISION OF LABOR

CAMEO INDUSTRIES
ELKHART, INDIANA

Discussion

At the request of the Division of Labor, Cameo Industries, Elkhart, Indiana, was visited September 17, 1981, to consult on a problem arising from subleasing warehouse space for hazardous waste storage.

I contacted Shelba Jean Deuel, Vice President, and informed her I could advise to the point of achieving compliance, but short of competing with consultants engaged in similar specialties. I told her my visit would in no way affect IOSHA inspections, and any recommendation would not be binding on future inspections. I told her no citations would be issued as a result of my visit, but in case of imminent danger, I would request the hazard be abated immediately.

In the event I encountered a serious hazard, I would call it to her attention, and together we would set an abatement date. No serious hazards were observed during my visit.

The company sublets warehouse space to Chemical Solvents, Inc., Specialty Products Division, for storage of hazardous chemical waste. Mrs. Deuel is concerned with possible exposure of her employees to fumes emitted during transfer of contents from one drum to another, without mechanical ventilation.

-2-

Since no transfer of drum contents was attempted during my visit, no measurements of atmospheric contaminants could be made.

On September 21, 1981, I called Guinn Doyle, Land Pollution Control Division, and gave him information for further investigation and follow-up.

Waste materials indicated by Mrs. Deuel are trichloroethane, perchloroethane, methylene chloride, chlorinated hydrocarbons, propyl acetate and alcohol.

Robert A. McGlasson

UNITED STATES OF AMERICA

316-741-9310

HAZARDOUS WASTE MANIFEST

04

ORIGINAL - NOT NEGOTIABLE

MANIFEST DOCUMENT NUMBER

CHEMICAL SOLVENTS, INC.

SHIPPER NUMBER

NAME OF CARRIER

CARRIER NUMBER

IDENTIFICATION

12 RIGHT EPA ID #	15 RIGHT EPA ID #	SHIPPER NAME, MAILING ADDRESS AND TELEPHONE NUMBER	DATE SHIPPED OR RECEIVED
MIT 2700 12818	(513) 639-8731	87 Taylor Street Acorn Building Components, Quincy, Michigan 49082	9/3/81
SHIPPER'S EPA ID #	SHIPPER'S PHONE #	SHIPPER'S ADDRESS	SHIPPER'S CITY, STATE AND ZIP
OHD052937885	(216) 741-9310	CHEMICAL SOLVENTS, INC., 2751 JENNINGS ROAD, CLEVELAND, OH 44109	9/3/81
DATE OF TREATMENT, STORAGE OR DISPOSAL	NAME OF TREATMENT, STORAGE OR DISPOSAL FACILITY	ADDRESS OF TREATMENT, STORAGE OR DISPOSAL FACILITY	DATE OF TREATMENT, STORAGE OR DISPOSAL
		CHEMICAL SOLVENTS, INC., 2751 JENNINGS ROAD, CLEVELAND, OH 44109	
DATE OF TREATMENT, STORAGE OR DISPOSAL	NAME OF TREATMENT, STORAGE OR DISPOSAL FACILITY	ADDRESS OF TREATMENT, STORAGE OR DISPOSAL FACILITY	DATE OF TREATMENT, STORAGE OR DISPOSAL

WASTE INFORMATION

UNIT OR CONTAINER TYPE	HAZARDOUS WASTE IDENTIFICATION	DESCRIPTION AND CLASSIFICATION	UNITS OF MEASURE	EXEMPTION OR NO LABELS REQUIRED	PLASMA TREATMENT WHEN REQUIRED	UNITS OF MEASURE	TOTAL QUANTITY	RATE	CHARGES (For Carrier Use Only)
HM	0001	SPENT SOLVENT (NOBILIN)	51593	PC			800 lbs		

SPECIAL HANDLING INSTRUCTIONS

If an RC commodity is spilled on a waterway or adjoining land, the incident must be promptly reported to the Federal government at 1-800-424-6802 (for land) or 202-426-2673 (for water). If other DOT Hazardous Materials are discharged creating a serious situation, call shipper's telephone number or Chemicals 1-800-424-6800 immediately.

REMARKS

PLACARDS TENDERED

Yes ☐ No ☐

MIT TO ADDRESS

COD

C.O.D. FEE: PREPAID ☐ COLLECT ☐

TOTAL CHARGES: \$

FREIGHT CHARGES

Freight paid by shipper ☐ Freight paid by consignee ☐Check box if shipped by air ☐Check box if shipped by water ☐Check box if shipped by rail ☐Check box if shipped by truck ☐Check box if shipped by other ☐

CERTIFICATION

I hereby certify that the above-named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation according to the applicable regulations of the Department of Transportation and the U.S. Environmental Protection Agency.

I hereby certify acceptance of the hazardous waste shipment.

TRANSPORTER 1 SIGNATURE & DATE

TRANSPORTER 2 SIGNATURE & DATE (if needed)

This is to certify acceptance of the hazardous waste for treatment, storage or disposal.

GENERATOR'S SIGNATURE

DATE

SIGNATURE

DATE

HAZARDOUS WASTE MANIFEST

ORIGINAL - NOT NEGOTIABLE

HW-1081

MANIFEST DOCUMENT NUMBER

MTD 005176214

SHIPPER NUMBER

OHD 052932885

CARRIER NUMBER

CHEMICAL SOLVENTS INC

EBCAG

IDENTIFICATION

12 DIGIT EPA ID #	COMPANY NAME, MAILING ADDRESS, AND TELEPHONE NUMBER	DATE SHIPPED OR RECEIVED
MTD 005176214	Ranger Cooler Co 200 Dunbar St. Hartford, CT 06105	8/16/08
REPORTER'S NAME	Chemical Solvents Inc 1751 Jennings Rd. Cleveland, OH 44109	1-800-321-8506
REPORTER'S PHONE		
TREATMENT, STORAGE, OR DISPOSAL FACILITY		
TREATMENT, STORAGE, OR DISPOSAL FACILITY		

WASTE INFORMATION

OF UNITS & CONTAINER TYPE	HM	DESCRIPTION AND CLASSIFICATION (Proper Shipping Name, Class and Identification Number per 172.101, 172.202, 172.203)	UN 3082	EXEMPTION OR NO LABELS REQUIRED	NET WEIGHT	TOTAL QUANTITY	DATE	CHARGES (Per 172.203)
20 dr	U080	Dichloromethane	1593	None	55 gal drums	1100 gal		

SPECIAL HANDLING INSTRUCTIONS

REMARKS

Collected on delivery shipments, the letters "COD" must appear before consignee's name or as otherwise provided in Item 135, Sec. 1

PLACARDS TENDERED

YES ☐ NO ☐

D. TO: RESE

COD

C.O.D. FEE PREPAID ☐ COLLECT ☐

TOTAL CHARGES

FREIGHT CHARGES

RECEIVED: Subject to the classification and terms in effect on the date of the bill of lading, the property described above in approved 2004 proper, except as noted (contents and condition of contents of packages) unaltered, received, and stored as indicated above which shall remain the sole property of the shipper until the property is received by the consignee at the place of destination. If on its route, the carrier is required to deliver to a place of destination, it is hereby agreed that the carrier shall not be liable for any loss or damage to the property at the place of destination.

any of said property from any and portion of said route to destination and in each party of said property shall be delivered to the consignee at the place of destination. The carrier shall be liable for any loss or damage to the property at the place of destination. The carrier shall be liable for any loss or damage to the property at the place of destination. The carrier shall be liable for any loss or damage to the property at the place of destination.

CERTIFICATION

to certify that the above named materials are properly filled, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation and the U.S. Environmental Protection Agency.

to certify acceptance of the hazardous waste shipment.

Signature: *Chad D. [illegible]* Date: 8/16/08

TRANSPORTER'S SIGNATURE & DATE TRANSPORTER'S SIGNATURE & DATE

This is to certify acceptance of the hazardous waste for treatment, storage and disposal.

GENERATOR'S SIGNATURE

DATE

SIGNATURE

DATE

(3)

TO:		FROM:	
T/S/D FACILITY	Chemical Solvents Inc.	Generator	THE ARO CORPORATION
E.P.A. ID Code No.	OHDO 52937885	E.P.A. ID Code No.	OHDO 005034857
Address	53212 Ada Drive	Address	ONE ARO CENTER,
Destination	Elkhart, Indiana 62634	Origin	BRYAN, OHIO 43506
Phone	1-800-321-8506	Phone	419/636-4242

HAZARDOUS WASTE	HAZARD CLASS	QTY	UNIT	WEIGHT	LABELS REQUIRED (or Exemption No.)
1-1-1 Trichloroethane	UN2831	F001			1 per

PLACARDS REQUIRED

NOTE - Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. This agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding \$_____ Per _____

Freight Charges: ☐ PREPAID ☐ COLLECT

RECEIVED - Subject to the stipulations and terms in effect on the date of the issue of this bill of lading, the property described above is received in apparent good order, unless as noted otherwise and condition of delivery of packages unopened, marked, sealed, and delivered as indicated above which shall carrier (the word carrier being understood throughout this contract as including any person or corporation in possession of the property under the contract) agrees to carry to the agreed place of delivery in good condition, it on his route, transported to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of said property over all or any portion of said route to destination and as to each party at any time interested in all or any said property, that every carrier or its performance hereunder shall be subject to all the bill of lading terms and conditions in the governing transportation on the date of shipment. Carrier hereby certifies that he is familiar with all the bill of lading terms and conditions in the governing transportation and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his agents.

ALTERNATE DESTINATION (EMERGENCY ONLY)	EMERGENCY RESPONSE INFORMATION
T/S/D FACILITY	CONTACT Name
E.P.A. ID Code No.	Phone
Address	National Response Center
Destination	1-800-424-8802
	In D. C. 426-2675

CERTIFICATION

This is to certify that the above named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation and the E.P.A.

Generator Signature: *[Signature]* Date: *10-1-81*

TRANSPORTER #1 Chemical Solvents Inc. E.P.A. ID No. OHDO 52937885

Address: 53212 Ada Drive

City: Elkhart State: Ind. Zip: 62634 Phone: 1-800321-8506

Transporter No. 1 Signature: *[Signature]* This is to certify acceptance of the hazardous waste shipment. Date: *10-1-81*

TRANSPORTER #2 E.P.A. ID No. _____

Address: _____

City: _____ State: _____ Zip: _____ Phone: _____

Transporter No. 2 Signature: _____ This is to certify acceptance of the hazardous waste shipment. Date: _____

TREATMENT/STORAGE/DISPOSAL FACILITY

T/S/D FACILITY Signature: _____ Date: _____ This is to certify acceptance of the hazardous waste for treatment, storage, or disposal.

Aug. 14. 2008 2:01PM

Sample Site WEISS INDUSTRIES

No. 2887—P. 22

✓ Station Number W-1

✓ Sample Date 4 5 83 12:30
Mo. Da. Yr. AM/PM
11-12 13-14 15-16

Supervisor

✓ Collector(s) David Kopper

Delivered to Lab
Mo. Day Yr. AM/PM

By Kind Lot No. Amount

Preservatives Added:

Sample Chlorinated Not Chlorinated
Field Lab

No. of 1 Liter Plastic Bottles

No. of 2 Liter Plastic Bottles

No. of Bacteriological Bottles

No. of Glass Jars or Bottles

Total

Standard Procedure Followed All Some None

NFDES Number 1-7 Outfall 8-10

17 1. NFDES
2. SPC-15
3. WQ Study
4. Pollution complaint
5. Fish kill investigation
18 1. Industry
2. Semi-Public
3. Municipal
4. Federal
5. Public Water Supply
6. State operation
7. Other

19 Sample Type
1. Grab
2. 24-hour comp.
3. 8-hour comp.
4. 15-hour flow comp.
5. 8-hour flow comp.
Sample Interval
20

21 1. at outfall
2. above outfall
3. below outfall
22-24 Screen info: how outfall

LAB INFORMATION

Lab. No. T0091 Date 4-5-83 3:25
Mo. Day Yr. AM/PM

Rec'd by JB

Temp of sample when received

Comments:

CODE	PARAMETERS	TEST	RESULT
	Methylene Chloride	19/12/83	< 7.
	1,1-Dichloroethene		
	1,1-Dichloroethane		
	Chloroform		
	Carbon tetrachloride		
	1,2-Dichloropropane		
	Trichloroethylene		
	1,1,2-Trichloroethane		
	Dibromochloromethane		
	Tetrachloroethylene	X	< 5.
	Chlorobenzene		
	Bromomethane		
	Vinyl chloride		
	Chloroethane		
	Trichlorofluoromethane		
	trans-1,2-Dichloroethylene		
	1,2-Dichloroethane		
	1,1,1-Trichloroethane	X	< 2.
	Bromodichloromethane		
	trans-1,3-Dichloropropene		
	cis-1,3-Dichloropropene		
	Chloromethane		
	Bromoform		
	1,1,2,2-Tetrachloroethane		
	Dichlorodifluoromethane		
	Ethylbenzene		
	Benzene		
	Toluene		
	Xylene		
	MEK		
	MEBK		
	Acetone		
	1,1,2-Trichloro-1,2,2-trifluoroethane		
	Hexachloroethane		
	n-Nitroso-di-N-propylamine		
	1,2,4-trichlorobenzene		
	Hexachloropentadiene		
	2-Chloronaphthalene		
	Isophorone		
	1,2-Diphenylhydrazine		
	n-Nitrosodiphenylamine		
	Phenanthrene		
	Fluoranthene		
	Endosulfan Sulfate	Div 14 1085	
	Bis(2-chlorophenyl) ether		
	1,3-Dichlorobenzene		
	1,2-Dichlorobenzene		
	Hexachlorobutadiene		
	Naphthalene		
	bis(2-Chloroethoxy)methane		
	Acenaphthene		
	Fluorene		
	2,4-Dinitrotoluene		
	Hexachlorobenzene		
	Anthracene		
	Dibenzophthalate		
	Pyrene		
	Chrysene		
	Benzo(a)anthracene		
	Dibenzo(a,h)anthracene		
	1,4-Dichlorobenzene		
	bis(2-Chloroisopropyl) ether		
	bis(2-Chloroethyl) ether		
	Retrobenzene		
	Acenaphthylene		

16
0022



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
NANCY A. MALOLEY, Commissioner

NOV 23 1988

105 South Meridian Street
P.O. Box 6015
Indianapolis 46206-6015
Telephone 317-232-8603

November 18, 1988

Mr. Hak Cho
U.S. EPA, Region V
230 South Dearborn
Chicago, Illinois 60604

Re: Part A Withdrawal
Specialty Products
Elkhart, Indiana
IND 980823322

Dear Mr. Cho:

The Indiana Department of Environmental Management will withdraw Specialty Products (SP) Part A status unless comments are received within thirty (30) days of the date of this letter. SP distributed solvents and received drummed spent solvents. The following is a brief synopsis of their Resource Conservation and Recovery Act (RCRA) file.

1. Partial Part A was submitted November 3, 1981. It does not list waste or unit types.
2. Undated memo from Ms. Pat Allen, Indiana State Board of Health (ISBH). She and R. Mahoney inspected facility as a result of a complaint by representatives of Cameo Industries. Cameo had leased the entire building and in turn subleased the north half, to SP, a division of Chemical Solvents. Within Specialty Products portion of the building, there was a four thousand (4,000) gallon elevated tank containing 1,1,1-trichloroethane. Fifty-five (55) gallon drums were filled from the tank and sold to customers. There were also approximately one hundred and thirty (130) fifty-five (55) gallon drums of spent solvents on-site - eight (8) to twelve (12) of which were in poor condition.
3. In December 1981, SP moved out of the building leaving approximately sixty (60) empty fifty-five (55) gallon drums outside the northwest corner of the building.
4. The DLPC of ISBH requested enforcement action from EPA on January 12, 1982, based on storage, transportation, and drum condition violations.

An Equal Opportunity Employer

Mr. Hak Cho
Page 2

5. On April 6, 1983, Mr. David Koepper, DLPC, ISBH, took drinking water samples from the private well at the facility for TCE and other chlorinated solvents. The results are not in the file.
6. Memo from Mr. Jim Mattes on May 9, 1983. Site visit March 21, 1983, found P.S. Unlimited occupants of the building since January 1982. When P.S. Unlimited moved in the tank was still in the building and approximately sixty (60) empty drums were outside. By March 1983, the tank had been removed by unknown parties, but the drums remained outside the northwest corner of the building. P.S. Unlimited was a non-generator.
7. This site was not inspected by the ISBH or the IDEM between 1983 and 1988.
8. A trip report dated July 15, 1988, by Mr. Stephen Hunter, Compliance Monitoring Section, listed the current tenants as Elkhart Machine and Tool, Inc. At the time of inspection, there were no empty drums at the northwest corner and no evidence of spillage. Elkhart Machine and Tool is a conditionally exempt generator. There was no evidence of SP past activities at the site.
9. A Part B call in was sent to SP at 53212 Ada Drive, Elkhart on May 6, 1988. The letter was returned to IDEM unopened.
10. A Part B call in was sent to the parent company, Chemical Solvents, in Cleveland on June 23, 1988. No response has been received.
11. A Part B call in was sent to the property owners on June 28, 1988. Their only response was by phone stating that SP had moved out seven (7) to eight (8) years ago.

The decision to withdraw the facility was based on the following:


1. The exact location of the container storage activities within the facility is not known;
2. There is no indication or documentation in the file indicating hazardous wastes were stored over ninety (90) days;
3. The July 15, 1988, Compliance Monitoring inspection revealed no empty drums, no evidence of spills, and no evidence of SP past activities.

00247-

Mr. Hak Cho
Page 3

Please contact Mr. John P. Maher at AC 317/232-3398, if you have any questions concerning this matter.

Very truly yours,



Thomas E. Linson, Chief
Plan Review and Permit Section
Hazardous Waste Management Branch
Solid and Hazardous Waste Management

JPM/rmw

cc: Elkhart County Health Department

Transtec Precision
ELKHART COUNTY GROUND WATER PROTECTION PROGRAM

REGISTRATION AND INSPECTION FORM

Ch. 1-101b-5-1602

Facility Name <u>G.M. Industries / Transtec Precision</u>		Facility I.D. Number <u>3885</u>	Date <u>5-14-02</u>
Address <u>53212 Aden Drive</u>		Contact Name <u>Jeff Stetten</u>	
City <u>Elkhart</u>	Zip <u>46514</u>	Township <u>02</u>	Phone Number <u>574-266-9000</u> NAICS <u>493110</u>
Purpose: (check all that apply) Routine <input checked="" type="checkbox"/> Registration <input checked="" type="checkbox"/> Reinspection <input type="checkbox"/> Spill <input type="checkbox"/> Complaint <input type="checkbox"/> Other <input type="checkbox"/>		Additional Information: (check all that apply) <u>268-2224</u> Hazardous Waste Inspected: SQG <input type="checkbox"/> LQG <input type="checkbox"/> TSD <input type="checkbox"/> Unknown <input type="checkbox"/> SARA Title III: Emergency Planning (EHS) <input type="checkbox"/> Toxic Chemical Release Reporting <input type="checkbox"/> Community Right-To-Know Requirements <input type="checkbox"/> Unknown <input type="checkbox"/>	
Registration Exemption: (check all that apply) No on-site wastewater disposal system <input type="checkbox"/> Resale of unopened products <input type="checkbox"/> Store < 100 kg/mo. of hazardous/toxic substances <input checked="" type="checkbox"/> Laboratory <input type="checkbox"/>			
The items marked below identify violations of the Elkhart County Ground Water Protection Ordinance 99-250. All violations should be corrected as soon as possible, but no later than the compliance time indicated under each violation. Failure to comply may result in the assessment of fines. Prior to the indicated compliance time written requests for the extension of compliance times or appeals regarding this inspection may be directed to the Elkhart County Health Department, 4230 Elkhart Road, Coates, IN, 46524, (219) 875-3391.			
<u>Registration</u> 11 Registered on-site wastewater disposal systems (5.A.) (Immediate compliance) System 1: Type <u>Septic</u> Flow _____ Location _____ System 2: Type _____ Flow _____ Location _____ System 3: Type _____ Flow _____ Location _____ System 4: Type _____ Flow _____ Location _____ System 5: Type _____ Flow _____ Location _____ System 6: Type _____ Flow _____ Location _____ 12 Registered hazardous/toxic materials storage area (5.B.) (Immediate compliance) 13 Notified ECHD of changes to on-site wastewater disposal system or hazardous/toxic substances storage area (RR 2.C., RR 2.D.) (Immediate compliance)		<u>Outside Storage of Hazardous/Toxic Substances</u> 19 Storage on an impervious underlying base (RR 4.A.) (7 days to comply) 20 Storage in a containment system with adequate capacity (RR 4.A.) (14 days to comply) 21 Proper maintenance of containment system to protect integrity and capacity (RR 4.A.) (14 days to comply) 22 Proper removal or disposal of spilled material and accumulated precipitation (RR 4.A.) (7 days to comply) 23 Storage in product-tight containers (RR 4.C.) (7 days to comply) 24 Controlled drainage of precipitation in the containment system (RR 4.D.) (7 days to comply) 25 Storage in secondary containment (RR 4.A.) (14 days to comply) <u>Temporary Storage Areas</u> 26 Storage on an impervious underlying base (RR 4.H.) (7 days to comply) 27 Storage does not exceed two (2) business days (RR 4.H.) (2 days to comply) 28 Spill response plan (RR 4.H.) (7 days to comply)	
<u>On-site Wastewater Disposal System</u> 14 Furnished a wastewater characterization for each on-site wastewater disposal system (6.) (30 days to comply)		<u>Spills</u> 29 Spill of a toxic or hazardous substance (4.) (Immediate compliance) 30 Discharge of process wastewater into or above an aquifer (4.) (Immediate compliance) 31 Reportable spill due to quantity requirements (10.A. and 10.C.) (Immediate compliance) 32 Reportable spill damaging waters of the state (10.A. and 10.C.) (Immediate compliance) 33 Reportable spill due to no spill response (10.A.) (Immediate compliance) 34 Undertake spill response activities (10.C.) (7 days to comply)	
<u>Inspections</u> 15 Upon notice of a violation, correct the violation as requested (12.B.) (Immediate compliance) 16 Provided requested information to determine compliance with ordinance (13.C.) (Immediate compliance)		#11 corrected @ time of inspection	
<u>Indoor Storage of Hazardous/Toxic Substances</u> 17 Toxic/hazardous substances located in a manner to prevent a spill onto the ground (RR 4.B.) (7 days to comply) 18 Toxic/hazardous substances located in a manner to prevent a spill into a drain that is connected to an on-site wastewater disposal system (RR 4.B.) (7 days to comply)			
Follow-up Action: Reinspection on or about ____/____/____ Routine (Priority Category) 1 2 <u>(3)</u> 0		Received by: <u>Richard Weber</u> Inspected by: <u>Donald J. Trice</u>	

*Compliance with the Elkhart County Ground Water Protection Ordinance does not exempt this facility from any other federal, state or local laws, codes or regulations.
 1/00 White - ECHD 1 Yellow - Facility Pink - ECHD 2

Page 1 of 1

0026

**4230 Elkhart Road
Goshen, IN 46526
PHONE: (574) 875-3391
FAX: (574) 875-3376**

**Environmental Health
Services Division,
Elkhart County Health
Department**

Fax

To: Mark Jaworski From: John Hulewicz

Fax: 317-234-0428 Pages: _____ including this cover sheet

Phone: _____ Date: _____

Re: **CC:**

☐ Urgent ☐ For Review ☐ Please Comment ☐ Please Reply ☐ Please Recycle

• Comments: 13pgs

5-15-98

**ELKHART COUNTY
GROUND WATER PROTECTION ORDINANCE
INSPECTION FORM**

ID NUMBER GU-736 DATE 5-13-98 PAGE 1 OF 2

BUSINESS NAME Johnson Tube + Steel

ADDRESS 53212 Adg Dr. Elkhart ZIP 46514

PHONE NUMBER 262-0999 CONTACT NAME Jim Gill

CHECK ALL APPLICABLE:

☒ SEPTIC ☐ DRYWELL ☐ CITY SEWER ☐ OTHER _____

[] FLOOR DRAINS None

☒ STORAGE OF HAZARDOUS OR TOXIC SUBSTANCES (SEE INVENTORY)

☒ WASTE WATER CHARACTERIZATION PROVIDED / NEXT DUE 8/1999

EXEMPTIONS: ☐ REGISTRATION ☐ W.W.C. CLASS 2 NEXT INSPECTION 5/2000

CODE	INV.#	VIOLATION
1	1	1
2	2	2
3	3	3
4	4	4
5	5	5
6	6	6
7	7	7
8	8	8
9	9	9
10	10	10
11	11	11
12	12	12
13	13	13
14	14	14
15	15	15
16	16	16
17	17	17
18	18	18
19	19	19
20	20	20
21	21	21
22	22	22
23	23	23
24	24	24
25	25	25
26	26	26
27	27	27
28	28	28
29	29	29
30	30	30
31	31	31
32	32	32
33	33	33
34	34	34
35	35	35
36	36	36
37	37	37
38	38	38
39	39	39
40	40	40
41	41	41
42	42	42
43	43	43
44	44	44
45	45	45
46	46	46
47	47	47
48	48	48
49	49	49
50	50	50
51	51	51
52	52	52
53	53	53
54	54	54
55	55	55
56	56	56
57	57	57
58	58	58
59	59	59
60	60	60
61	61	61
62	62	62
63	63	63
64	64	64
65	65	65
66	66	66
67	67	67
68	68	68
69	69	69
70	70	70
71	71	71
72	72	72
73	73	73
74	74	74
75	75	75
76	76	76
77	77	77
78	78	78
79	79	79
80	80	80
81	81	81
82	82	82
83	83	83
84	84	84
85	85	85
86	86	86
87	87	87
88	88	88
89	89	89
90	90	90
91	91	91
92	92	92
93	93	93
94	94	94
95	95	95
96	96	96
97	97	97
98	98	98
99	99	99
100	100	100

COMPLIANCE TIME/DATE COMPLETED[illegible]

ENVIRONMENTALIST

FACILITY CONTACT PERSON

REINSPECTION DATE

INITIALS

*COMPLIANCE WITH THE ELICHAULT COUNTY GROUND WATER PROTECTION ORDINANCE DOES NOT EXEMPT THIS FACILITY FROM ANY OTHER FEDERAL, STATE OR LOCAL LAWS, CODES OR REGULATIONS.

1/92 AVT 4/94 12/94 REV/REV

ECHO COPY

0028

ELKHART COUNTY
GROUND WATER PROTECTION ORDINANCE
HAZARDOUS/TOXIC SUBSTANCE INVENTORYPAGE 2 OF 2

COMPANY NAME

Johnson Tube

Date

5-13-98

SUBSTANCE	LOCATION	AMT	CPCTY	CONTAINER	COMPLY
1. <u>Methanol</u>	<u>Inside</u>	<u>1</u>	<u>5gal</u>	<u>plastic</u>	<u>Yes</u>
2. <u>Mineral spirits</u>	<u>"</u>	<u>2</u>	<u>5gal</u>	<u>plastic</u>	<u>Yes</u>
3. <u>Hydraulic oil</u>	<u>"</u>	<u>1</u>	<u>5gal</u>	<u>plastic</u>	<u>Yes</u>
4. <u>WD-40</u>	<u>"</u>	<u>2</u>	<u>5gal</u>	<u>plastic</u>	<u>Yes</u>
5. <u>Waste oil</u>	<u>"</u>	<u>2</u>	<u>5gal</u>	<u>plastic</u>	<u>Yes</u>
6. <u>Wilube</u>	<u>"</u>	<u>2</u>	<u>5gal</u>	<u>plastic</u>	<u>Yes</u>
7. _____	_____	_____	_____	_____	_____
8. _____	_____	_____	_____	_____	_____
9. _____	_____	_____	_____	_____	_____
10. _____	_____	_____	_____	_____	_____
11. _____	_____	_____	_____	_____	_____
12. _____	_____	_____	_____	_____	_____
13. _____	_____	_____	_____	_____	_____
14. _____	_____	_____	_____	_____	_____
15. _____	_____	_____	_____	_____	_____
16. _____	_____	_____	_____	_____	_____
17. _____	_____	_____	_____	_____	_____
18. _____	_____	_____	_____	_____	_____
19. _____	_____	_____	_____	_____	_____
20. _____	_____	_____	_____	_____	_____
21. _____	_____	_____	_____	_____	_____
22. _____	_____	_____	_____	_____	_____
23. _____	_____	_____	_____	_____	_____
24. _____	_____	_____	_____	_____	_____
25. _____	_____	_____	_____	_____	_____
26. _____	_____	_____	_____	_____	_____

**ELKHART COUNTY
GROUND WATER PROTECTION ORDINANCE
INSPECTION FORM**

12-4-96

ID NUMBER GW-736 DATE 11-14-96 PAGE 1 OF 2
BUSINESS NAME Johnson Tube & Steel
ADDRESS 53212 Ada Dr PO Box 1551 Elk Hart ZIP 46514
PHONE NUMBER 262-0999 CONTACT NAME Donna Vargo

CHECK ALL APPLICABLE:

☒ SEPTIC ☐ DRYWELL ☐ CITY SEWER ☐ OTHER _____

[] FLOOR DRAINS None

☒ STORAGE OF HAZARDOUS OR TOXIC SUBSTANCES (SEE INVENTORY)

☒ WASTE WATER CHARACTERIZATION PROVIDED / NEXT DUE 1997

EXEMPTIONS: ☐ REGISTRATION ☐ W.W.C. CLASS ~~2~~ NEXT INSPECTION 11/8/97

[illegible]

ENVIRONMENTALIST

FACILITY CONTACT PERSON

REINSPECTION DATE

INITIALS *W.V.*

*COMPLIANCE WITH THE ELKHART COUNTY GROUND WATER PROTECTION ORDINANCE DOES NOT EXEMPT THIS FACILITY FROM ANY OTHER FEDERAL, STATE OR LOCAL LAWS, CODES OR REGULATIONS.

1/92 AVT 4/94 12/94 REV/REV

ECMD COPY

0030

**ELKHART COUNTY
GROUND WATER PROTECTION ORDINANCE
HAZARDOUS/TOXIC SUBSTANCE INVENTORY**

PAGE 2 OF 2COMPANY NAME Johnson Tube + SteelDate 11-14-76

SUBSTANCE	LOCATION	AMT	CPCTY	CONTAINER	COMPLY
1. <u>Mineral spirits</u>	<u>Production - inside</u>	<u>1</u>	<u>5 gal</u>	<u>other</u>	<u>Y</u>
2. <u>Methanol</u>	<u>" "</u>	<u>1</u>	<u>5 gal</u>	<u>other</u>	<u>Y</u>
3. <u>WD-40</u>	<u>" "</u>	<u>3</u>	<u>5 gal</u>	<u>other</u>	<u>Y</u>
4. <u>Antifreeze</u>	<u>" "</u>	<u>1</u>	<u>1 gal</u>	<u>other</u>	<u>Y</u>
5. <u>Mineral spirits</u>	<u>" "</u>	<u>1</u>	<u>5 gal</u>	<u>other</u>	<u>Y</u>
6. <u>Wilube</u>	<u>" "</u>	<u>2</u>	<u>5 gal</u>	<u>other</u>	<u>Y</u>
7. <u>Hydraulic oil</u>	<u>Outside</u>	<u>1</u>	<u>55 gal</u>	<u>drum</u>	<u>N</u>
8.					
9.					
10.					
11.					
12.					
13.					
14.					
15.					
16.					
17.					
18.					
19.					
20.					
21.					
22.					
23.					
24.					
25.					
26.					

11-27-95

ELKHART COUNTY
GROUND WATER PROTECTION ORDINANCE
HAZARDOUS/TOXIC SUBSTANCE INVENTORY

PAGE 2 OF 2

COMPANY NAME

Johnson Tube & Steel

Date

12/21/95

SUBSTANCE	LOCATION	AMT	CPCTY	CONTAINER	COMPLY
1. <u>machine oil</u>	<u>inside - NW</u>	<u>1</u>	<u>55gal</u>	<u>drum</u>	<u>Y</u>
2. <u>hydraulic oil</u>	<u>inside - SE</u>	<u>1</u>	<u>55gal</u>	<u>drum</u>	<u>Y</u>
3. <u>methanol</u>	<u>inside - NW</u>	<u>1</u>	<u>5gal</u>	<u>other</u>	<u>Y</u>
4. _____	_____	_____	_____	_____	_____
5. _____	_____	_____	_____	_____	_____
6. _____	_____	_____	_____	_____	_____
7. _____	_____	_____	_____	_____	_____
8. _____	_____	_____	_____	_____	_____
9. _____	_____	_____	_____	_____	_____
10. _____	_____	_____	_____	_____	_____
11. _____	_____	_____	_____	_____	_____
12. _____	_____	_____	_____	_____	_____
13. _____	_____	_____	_____	_____	_____
14. _____	_____	_____	_____	_____	_____
15. _____	_____	_____	_____	_____	_____
16. _____	_____	_____	_____	_____	_____
17. _____	_____	_____	_____	_____	_____
18. _____	_____	_____	_____	_____	_____
19. _____	_____	_____	_____	_____	_____
20. _____	_____	_____	_____	_____	_____
21. _____	_____	_____	_____	_____	_____
22. _____	_____	_____	_____	_____	_____
23. _____	_____	_____	_____	_____	_____
24. _____	_____	_____	_____	_____	_____
25. _____	_____	_____	_____	_____	_____
26. _____	_____	_____	_____	_____	_____

9/1/94

ID NUMBER FW-736 DATE 1-24-94 PAGE 1 OF 2
BUSINESS NAME Johnson Tube & Steel
ADDRESS PO Box 1551 (Hd Qr) Elkhart, IN ZIP 46514
PHONE NUMBER 262-0999 CONTACT NAME Mike Marklay

☒ SEPTIC ☐ DRYWELL ☐ CITY SEWER ☐ OTHER _____

[] FLOOR DRAINS

☒ STORAGE OF HAZARDOUS OR TOXIC SUBSTANCES (SEE INVENTORY)

[X] WASTE WATER CHARACTERIZATION PROVIDED / NEXT DUE 4-24-94 *

EXEMPTIONS: ☐ REGISTRATION ☐ W.W.C. ☒ NONE

[illegible]

FACILITY CONTACT PERSON

INITIALS

ECHO COPY

0034

ELKHART COUNTY
GROUND WATER PROTECTION ORDINANCE
HAZARDOUS/TOXIC SUBSTANCE INVENTORY

PAGE 2 OF 2COMPANY NAME Johnson Tube & Steel

SUBSTANCE	LOCATION	AMT	CPCTY	CONTAINER	COMPLY
1. <u>mixed oil</u>	<u>inside - NE corner</u>	<u>1</u>	<u>5 gal</u>	<u>drum</u>	<u>Y</u>
2. <u>machine oil</u>	<u>" "</u>	<u>2</u>	<u>5 gal</u>	<u>drum</u>	<u>Y</u>
3. _____	_____	_____	_____	_____	_____
4. _____	_____	_____	_____	_____	_____
5. _____	_____	_____	_____	_____	_____
6. _____	_____	_____	_____	_____	_____
7. _____	_____	_____	_____	_____	_____
8. _____	_____	_____	_____	_____	_____
9. _____	_____	_____	_____	_____	_____
10. _____	_____	_____	_____	_____	_____
11. _____	_____	_____	_____	_____	_____
12. _____	_____	_____	_____	_____	_____
13. _____	_____	_____	_____	_____	_____
14. _____	_____	_____	_____	_____	_____
15. _____	_____	_____	_____	_____	_____
16. _____	_____	_____	_____	_____	_____
17. _____	_____	_____	_____	_____	_____
18. _____	_____	_____	_____	_____	_____
19. _____	_____	_____	_____	_____	_____
20. _____	_____	_____	_____	_____	_____
21. _____	_____	_____	_____	_____	_____
22. _____	_____	_____	_____	_____	_____
23. _____	_____	_____	_____	_____	_____
24. _____	_____	_____	_____	_____	_____
25. _____	_____	_____	_____	_____	_____
26. _____	_____	_____	_____	_____	_____

10-11-93

**ELKHART COUNTY
GROUND WATER PROTECTION ORDINANCE
INSPECTION FORM**

ID NUMBER GW-7136 DATE 12-22-92 PAGE 1 OF 2

BUSINESS NAME Johnson Tube and Steel

ADDRESS 70 Box 1551 (Alma Dr) Elkhart IN ZIP 46514

PHONE NUMBER 262-8999 CONTACT NAME Eugene Tapolski

CHECK ALL APPLICABLE:

☒ SEPTIC ☐ DRYWELL ☐ CITY SEWER ☐ OTHER _____

[] FLOOR DRAINS

14 STORAGE OF HAZARDOUS OR TOXIC SUBSTANCES (SEE INVENTORY)

WASTE WATER CHARACTERIZATION PROVIDED / NEXT DUE

EXEMPTIONS: ☐ REGISTRATION ☐ W.W.C. ☒ NONE

[illegible]

ENVIRONMENTALIST

FACILITY CONTACT PERSON

REINSPECTION DATE

INITIALS

*COMPLIANCE WITH THE ELKHART COUNTY GROUND WATER PROTECTION ORDINANCE DOES NOT EXEMPT THIS FACILITY FROM ANY OTHER FEDERAL, STATE OR LOCAL LAWS, CODES OR REGULATIONS.


1/92 AVT

ECHO COPY

ELKHART COUNTY
GROUND WATER PROTECTION ORDINANCE
HAZARDOUS/TOXIC SUBSTANCE INVENTORYPAGE 2 OF 2COMPANY NAME Johnson Tube and Steel

SUBSTANCE	LOCATION	AMT	CPCTY	CONTAINER	COMPLY
1. <u>mixed oil</u>	<u>production area - east</u>	<u>1</u>	<u>55gal</u>	<u>steel</u>	<u>Y</u>
2. <u>machine oil</u>	<u>" "</u>	<u>2</u>	<u>5gal</u>	<u>plastic</u>	<u>Y</u>
3. <u>unknown</u>	<u>outside - NW</u>	<u>8</u>	<u>55gal</u>	<u>steel</u>	<u>N</u>
4. _____	_____	_____	_____	_____	_____
5. _____	_____	_____	_____	_____	_____
6. _____	_____	_____	_____	_____	_____
7. _____	_____	_____	_____	_____	_____
8. _____	_____	_____	_____	_____	_____
9. _____	_____	_____	_____	_____	_____
10. _____	_____	_____	_____	_____	_____
11. _____	_____	_____	_____	_____	_____
12. _____	_____	_____	_____	_____	_____
13. _____	_____	_____	_____	_____	_____
14. _____	_____	_____	_____	_____	_____
15. _____	_____	_____	_____	_____	_____
16. _____	_____	_____	_____	_____	_____
17. _____	_____	_____	_____	_____	_____
18. _____	_____	_____	_____	_____	_____
19. _____	_____	_____	_____	_____	_____
20. _____	_____	_____	_____	_____	_____
21. _____	_____	_____	_____	_____	_____
22. _____	_____	_____	_____	_____	_____
23. _____	_____	_____	_____	_____	_____
24. _____	_____	_____	_____	_____	_____
25. _____	_____	_____	_____	_____	_____
26. _____	_____	_____	_____	_____	_____

10-11-93

**BTEX Results**

Client: Johnson Tube and Steel
Project: GWFO
Analysis Date: 6-22-93
Sample Description: BTEX A0779

Sample ID	Lab No.	Target Compounds	Results
#1	A0779	Benzene	N.D.
	A0779	Ethylbenzene	BDL
	A0779	Toluene	1.18
	A0779	o-xylene	N.D.
	A0779	m & p-xylene	1.62

Comments:

N.D. = Not Detected
BDL = Below Detection Limits
ug/L = Parts per Billion

1122 DIVISION ST.
P.O. BOX 1308
MISHAWAKA, IN 46546-1308
PHONE: (219) 258-0507
(219) 674-0450
FAX: (219) 258-0370

Safety & Environmental Resources, Inc.

OSHA/EPA Training & Consulting



SER Oil Services

Waste Oil/Water Processing
Specialty Products

9-1-94

DAN WILSON
PRESIDENT

DAN SCHROEDER
GENERAL MANAGER

LABORATORY REPORT

CLIENT: Johnson Tube and Steel
ATTN: Donna
53212 Ada Dr.
Elkhart, IN

REPORT: A1914

PROJECT/SITE: Septic

SAMPLES SUBMITTED:
One Liquid sample(s)
for BTEX analysis.

COLLECTED: 8/10/94

BY: CM

RECEIVED: 8/10/94

REPORT SUMMARY

The Benzene, Toluene, Ethylene Benzene and Xylene (BTEX) analysis is a test used to detect and quantify the concentrations of these chemicals and Methyl-butyl ether in a submitted sample.

The laboratory method used is USEPA SW-846 8020 which utilizes a gas chromatograph with PID to perform the analytical work required for quantification.

Analysis results are expressed in parts per billion (ppb). The detection limit set for this particular analysis is 5.0 ppb. Results are presented on the following page.

If you have any questions or comments concerning this report, please do not hesitate to call us at (219) 258-0507.

APPROVED BY:

John Howard

DATE:

Aug. 15, 1994

"Serving Your Future"

BTEX Results**Client: JOHNSON TUBE AND STEEL****Project: SEPTIC****Analysis Date: 08/11/94****Sample Description: LIQUID SEPTIC**

<u>Lab No.</u>	<u>Target Compounds</u>	<u>Results - ug/L</u>
A1914	Benzene	ND
	Ethylbenzene	ND
	Toluene	BDL
	o-xylene	ND
	m & p-Xylene	ND
	Methyl tert-Butyl Ether (MTBE)	BDL

Comments:**N.D. = Not Detected****BDL = Below Detection Limits****ug/L = Parts per Billion****ug/Kg = Parts per Billion**

**Environmental Health
Services Division,
Elkhart County Health
Department**

Fax

■ Comments: Yoss

53486 ADA

5-16-02

**ELKHARTY COUNTY GROUND WATER PROTECTION PROGRAM
TOXIC OR HAZARDOUS SUBSTANCE STORAGE AREAS
REGISTRATION INFORMATION**

FACILITY NAME Voyager Dakota FACILITY ID NUMBER 1527

[illegible]

Container type: D - drum, B - bucket, C - can, A - above ground storage tank, T - tank, U - underground storage tank, O - other

Page 2 of 2

ELKHART COUNTY
GROUND WATER PROTECTION ORDINANCE
HAZARDOUS/TOXIC SUBSTANCE INVENTORY

PAGE 2 OF COMPANY NAME Voyager Data, IncDate 9/24/98

SUBSTANCE	LOCATION	AMT	CPCTY	CONTAINER	COMPLY
1. <u>Trimmer</u>	<u>inside Maintenance</u>	<u>1</u>	<u>5 gal</u>	<u>metal</u>	<u>Y</u>
2. <u>Mineral Spirits</u>	<u>"</u>	<u>2</u>	<u>1 gal</u>	<u>Metal</u>	<u>Y</u>
3. <u>Parts Washer</u>	<u>Jig & Fixtures</u>	<u>1</u>	<u>5 gal</u>	<u>other</u>	<u>Y</u>
4. <u>Lube oil</u>	<u>"</u>	<u>3</u>	<u>5 gal</u>	<u>plastic</u>	<u>Y</u>
5. <u>Used oil</u>	<u>Maintenance</u>	<u>2</u>	<u>5 gal</u>	<u>plastic</u>	<u>Y</u>
6. <u>Various oils</u>	<u>"</u>	<u>5</u>	<u>5 gal</u>	<u>plastic</u>	<u>Y</u>
7. <u>W/lube oil</u>	<u>Press Dept - 1</u>	<u>2</u>	<u>55 gal</u>	<u>drum</u>	<u>Y</u>
8. <u>Waste oil</u>	<u>"</u>	<u>1</u>	<u>5 gal</u>	<u>drum</u>	<u>Y</u>
9. <u>Parts Washer</u>	<u>"</u>	<u>1</u>	<u>30 gal</u>	<u>drum</u>	<u>Y</u>
10. <u>Spray Cleaner</u>	<u>Powder coat Rm</u>	<u>5</u>	<u>55 gal</u>	<u>drum</u>	<u>Y</u>
11. <u>Gray coat</u>	<u>"</u>	<u>3</u>	<u>55 gal</u>	<u>drum</u>	<u>Y</u>
12. <u>Phos coat</u>	<u>"</u>	<u>5</u>	<u>55 gal</u>	<u>drum</u>	<u>Y</u>
13. _____	_____	_____	_____	_____	_____
14. _____	_____	_____	_____	_____	_____
15. _____	_____	_____	_____	_____	_____
16. _____	_____	_____	_____	_____	_____
17. _____	_____	_____	_____	_____	_____
18. _____	_____	_____	_____	_____	_____
19. _____	_____	_____	_____	_____	_____
20. _____	_____	_____	_____	_____	_____
21. _____	_____	_____	_____	_____	_____
22. _____	_____	_____	_____	_____	_____
23. _____	_____	_____	_____	_____	_____
24. _____	_____	_____	_____	_____	_____
25. _____	_____	_____	_____	_____	_____
26. _____	_____	_____	_____	_____	_____

**ELKHART COUNTY
GROUND WATER PROTECTION ORDINANCE
HAZARDOUS/TOXIC SUBSTANCE INVENTORY**

PAGE 2 OF 2COMPANY NAME Voyager DakatDate 11-14-96

SUBSTANCE	LOCATION	AMT	CPCTY	CONTAINER	COMPLY
1. <u>Wilube oil</u>	<u>Dig + Fixtures areas</u>	<u>2</u>	<u>5gal.</u>	<u>other</u>	<u>Y</u>
2. <u>Lube oil</u>	<u>" "</u>	<u>1</u>	<u>5gal.</u>	<u>other</u>	<u>Y</u>
3. <u>Naphtha</u>	<u>" "</u>	<u>2</u>	<u>1gal.</u>	<u>other</u>	<u>Y</u>
4. <u>Hydraulic oil</u>	<u>" "</u>	<u>5</u>	<u>5gal.</u>	<u>other</u>	<u>Y</u>
5. <u>Degresser</u>	<u>" "</u>	<u>1</u>	<u>5gal.</u>	<u>other</u>	<u>Y</u>
6. <u>Gear lube</u>	<u>Maint. areas</u>	<u>1</u>	<u>5gal.</u>	<u>other</u>	<u>Y</u>
7. <u>Hydraulic oil</u>	<u>" "</u>	<u>5</u>	<u>5gal.</u>	<u>other</u>	<u>Y</u>
8. <u>Waste oil</u>	<u>" "</u>	<u>2</u>	<u>5gal.</u>	<u>other</u>	<u>Y</u>
9. <u>Hydraulic oils</u>	<u>Press area</u>	<u>~15</u>	<u>5gal.</u>	<u>other</u>	<u>Y</u>
10. <u>Cleaning solvent</u>	<u>" "</u>	<u>2</u>	<u>50gal.</u>	<u>drums</u>	<u>Y</u>
11. <u>Dakite CF Rinse</u>	<u>Powder coat area</u>	<u>1</u>	<u>30gal</u>	<u>drum</u>	<u>Y</u>
12. <u>" Low Heat Cleaner 3</u>	<u>" " "</u>	<u>7</u>	<u>55gal.</u>	<u>drums</u>	<u>Y</u>
13. <u>Cryscast 1127</u>	<u>" "</u>	<u>2</u>	<u>55gal.</u>	<u>drums</u>	<u>Y</u>
14. <u>Liquid Argon Gas</u>	<u>Outside</u>	<u>1</u>	<u>1500 ft³</u>	<u>AST</u>	<u>Y</u>
15.					
16.					
17.					
18.					
19.					
20.					
21.					
22.					
23.					
24.					
25.					
26.					

ELKHART COUNTY
GROUND WATER PROTECTION ORDINANCE
HAZARDOUS/TOXIC SUBSTANCE INVENTORYPAGE 2 OF 2

COMPANY NAME

Voyager, Dakt

SUBSTANCE	LOCATION	AMT	CPCTY	CONTAINER	COMPLY
1. <u>paint</u>	<u>paint shop</u>	<u>10</u>	<u>55gal</u>	<u>drum</u>	<u>Y</u>
2. <u>citrus-solvent</u>	<u>" "</u>	<u>2</u>	<u>55gal</u>	<u>drum</u>	
3. <u>machine oil</u>	<u>maintenance bldg</u>	<u>2</u>	<u>55gal</u>	<u>drum</u>	
4. <u>wask oil</u>	<u>" "</u>	<u>2</u>	<u>55gal</u>	<u>drum</u>	
5. <u>solvent</u>	<u>partwasher</u>	<u>3</u>	<u>55gal</u>	<u>other</u>	
6. <u>machine oil</u>	<u>maintenance bldg</u>	<u>2</u>	<u>55gal</u>	<u>other</u>	
7. _____	_____	_____	_____	_____	_____
8. _____	_____	_____	_____	_____	_____
9. _____	_____	_____	_____	_____	_____
10. _____	_____	_____	_____	_____	_____
11. _____	_____	_____	_____	_____	_____
12. _____	_____	_____	_____	_____	_____
13. _____	_____	_____	_____	_____	_____
14. _____	_____	_____	_____	_____	_____
15. _____	_____	_____	_____	_____	_____
16. _____	_____	_____	_____	_____	_____
17. _____	_____	_____	_____	_____	_____
18. _____	_____	_____	_____	_____	_____
19. _____	_____	_____	_____	_____	_____
20. _____	_____	_____	_____	_____	_____
21. _____	_____	_____	_____	_____	_____
22. _____	_____	_____	_____	_____	_____
23. _____	_____	_____	_____	_____	_____
24. _____	_____	_____	_____	_____	_____
25. _____	_____	_____	_____	_____	_____
26. _____	_____	_____	_____	_____	_____

ELKHART COUNTY
GROUND WATER PROTECTION ORDINANCE
HAZARDOUS/TOXIC SUBSTANCE INVENTORY

PAGE 2 OF 2COMPANY NAME Voyager Dakat

SUBSTANCE	LOCATION	AMT	CPCTY	CONTAINER	COMPLY
1. <u>enamel paint</u>	<u>inside - paint spray booth</u>	<u>6</u>	<u>55 gal</u>	<u>drums</u>	<u>yes</u>
2. <u>machine oil</u>	<u>inside plant 2</u>	<u>2</u>	<u>5 gal</u>	<u>pails</u>	<u>yes</u>
3. <u>machine oil</u>	<u>inside plant 2</u>	<u>2</u>	<u>55 gal</u>	<u>drums</u>	<u>yes</u>
4. _____	_____	_____	_____	_____	_____
5. _____	_____	_____	_____	_____	_____
6. _____	_____	_____	_____	_____	_____
7. _____	_____	_____	_____	_____	_____
8. _____	_____	_____	_____	_____	_____
9. _____	_____	_____	_____	_____	_____
10. _____	_____	_____	_____	_____	_____
11. _____	_____	_____	_____	_____	_____
12. _____	_____	_____	_____	_____	_____
13. _____	_____	_____	_____	_____	_____
14. _____	_____	_____	_____	_____	_____
15. _____	_____	_____	_____	_____	_____
16. _____	_____	_____	_____	_____	_____
17. _____	_____	_____	_____	_____	_____
18. _____	_____	_____	_____	_____	_____
19. _____	_____	_____	_____	_____	_____
20. _____	_____	_____	_____	_____	_____
21. _____	_____	_____	_____	_____	_____
22. _____	_____	_____	_____	_____	_____
23. _____	_____	_____	_____	_____	_____
24. _____	_____	_____	_____	_____	_____
25. _____	_____	_____	_____	_____	_____
26. _____	_____	_____	_____	_____	_____